



## pro+ Swing Door Operators

Item Number	Max Door Width*	Max Door Weight	Motor Size	Wired Controls Included	Arms Color and Finish	Works with Overlapping Doors	Works with Non-Overlapping Doors	Battery Back Up	Minimum Headroom Required
YUSKS10249-00002	9'6"	600 lbs.	600N (3/4 HP)	Integrated in control housing	Galvanized	X	X		2"
YUSKS10252-00002	9'6"	600 lbs.	800N (1 HP)	Integrated in control housing	Galvanized	X	X		2"
YUSKS10255-00002	9'6"	600 lbs.	1100N (1-1/4 HP)	Integrated in control housing	Galvanized	X	X		2"
YUSKS10249-00006	9'6"	600 lbs.	600N (3/4 HP)	Integrated in control housing	Galvanized	X	X	X	2"
YUSKS10252-00006	9'6"	600 lbs.	800N (1 HP)	Integrated in control housing	Galvanized	X	X	X	2"
YUSKS10255-00006	9'6"	600 lbs.	1100N (1-1/4 HP)	Integrated in control housing	Galvanized	X	X	X	2"
YUSKS10249-00027	10'6"	800 lbs.	600N (3/4 HP)	Integrated in control housing	Black powder-coated		X		2"
YUSKS10252-00027	10'6"	1450 lbs.	800N (1 HP)	Integrated in control housing	Black powder-coated		X		2"
YUSKS10255-00027	10'6"	2000 lbs.	1100N (1-1/4 HP)	Integrated in control housing	Black powder-coated		X		2"
YUSKS10249-00028	10'6"	800 lbs.	600N (3/4 HP)	Integrated in control housing	Black powder-coated		X	X	2"
YUSKS10252-00028	10'6"	1450 lbs.	800N (1 HP)	Integrated in control housing	Black powder-coated		X	X	2"
YUSKS10255-00028	10'6"	2000 lbs.	1100N (1-1/4 HP)	Integrated in control housing	Black powder-coated		X	X	2"

\*Max door width assumes a 6" exterior wall, width may be adjusted as necessary for other wall thicknesses

Items included in kits:

YUSKS10249-00002: 1x YS10249-00001, 1x YS10171-00002  
 YUSKS10252-00002: 1x YS10252-00001, 1x YS10171-00002  
 YUSKS10255-00002: 1x YS10255-00001, 1x YS10171-00002  
 YUSKS10249-00006: 1x YS10249-00001, 1x YS10171-00002, 1x YS10523-00002  
 YUSKS10252-00006: 1x YS10252-00001, 1x YS10171-00002, 1x YS10523-00002  
 YUSKS10255-00006: 1x YS10255-00001, 1x YS10171-00002, 1x YS10523-00002  
 YUSKS10249-00027: 1x YS10249-00001, 2x YUSA1511, 1x Y1510V000, 1x 10741-00000  
 YUSKS10252-00027: 1x YS10252-00001, 2x YUSA1511, 1x Y1510V000, 1x 10741-00000  
 YUSKS10255-00027: 1x YS10255-00001, 2x YUSA1511, 1x Y1510V000, 1x 10741-00000  
 YUSKS10249-00028: 1x YS10249-00001, 2x YUSA1511, 1x Y1510V000, 1x 10741-00000, 1x YS10523-00002  
 YUSKS10252-00028: 1x YS10252-00001, 2x YUSA1511, 1x Y1510V000, 1x 10741-00000, 1x YS10523-00002  
 YUSKS10255-00028: 1x YS10255-00001, 2x YUSA1511, 1x Y1510V000, 1x 10741-00000, 1x YS10523-00002

# evo+ Swing Door Operators

## (remote mount control housing)

Item Number	Max Door Width*	Max Door Weight	Motor Size	Wired Controls Included	Arms Color and Finish	Works with Overlapping Doors	Works with Non-Overlapping Doors	Battery Back Up	Minimum Headroom Required
YUSKS10256-00029	9'6"	600 lbs.	600N (3/4 HP)	Wired 3-button station	Galvanized	X	X		2"
YUSKS10251-00029	9'6"	600 lbs.	800N (1 HP)	Wired 3-button station	Galvanized	X	X		2"
YUSKS10254-00029	9'6"	600 lbs.	1100N (1-1/4 HP)	Wired 3-button station	Galvanized	X	X		2"
YUSKS10256-00030	9'6"	600 lbs.	600N (3/4 HP)	Wired 3-button station	Galvanized	X	X	X	2"
YUSKS10251-00030	9'6"	600 lbs.	800N (1 HP)	Wired 3-button station	Galvanized	X	X	X	2"
YUSKS10254-00030	9'6"	600 lbs.	1100N (1-1/4 HP)	Wired 3-button station	Galvanized	X	X	X	2"
YUSKS10256-00022	10'6"	800 lbs.	600N (3/4 HP)	Wired 3-button station	Black powder-coated		X		2"
YUSKS10251-00022	10'6"	1450 lbs.	800N (1 HP)	Wired 3-button station	Black powder-coated		X		2"
YUSKS10254-00022	10'6"	2000 lbs.	1100N (1-1/4 HP)	Wired 3-button station	Black powder-coated		X		2"
YUSKS10256-00023	10'6"	800 lbs.	600N (3/4 HP)	Wired 3-button station	Black powder-coated		X	X	2"
YUSKS10251-00023	10'6"	1450 lbs.	800N (1 HP)	Wired 3-button station	Black powder-coated		X	X	2"
YUSKS10254-00023	10'6"	2000 lbs.	1100N (1-1/4 HP)	Wired 3-button station	Black powder-coated		X	X	2"

\*Max door width assumes a 6" exterior wall, width may be adjusted as necessary for other wall thicknesses

Items included in kits:

YUSKS10256-00029: 1x YS10256-00001, 1x 10171-00002, 1x Y913  
 YUSKS10251-00029: 1x YS10251-00001, 1x 10171-00002, 1x Y913  
 YUSKS10254-00029: 1x YS10254-00001, 1x 10171-00002, 1x Y913  
 YUSKS10256-00030: 1x YS10256-00001, 1x 10171-00002, 1x Y913, 1x YS10523-00002  
 YUSKS10251-00030: 1x YS10251-00001, 1x 10171-00002, 1x Y913, 1x YS10523-00002  
 YUSKS10254-00030: 1x YS10254-00001, 1x 10171-00002, 1x Y913, 1x YS10523-00002  
 YUSKS10256-00022: 1x YS10256-00001, 2x YUSA1511, 1x Y1510V000, 1x 10741-00000, 1x Y913  
 YUSKS10251-00022: 1x YS10251-00001, 2x YUSA1511, 1x Y1510V000, 1x 10741-00000, 1x Y913  
 YUSKS10254-00022: 1x YS10254-00001, 2x YUSA1511, 1x Y1510V000, 1x 10741-00000, 1x Y913  
 YUSKS10256-00023: 1x YS10256-00001, 2x YUSA1511, 1x Y1510V000, 1x 10741-00000, 1x Y913, 1x YS10523-00002  
 YUSKS10251-00023: 1x YS10251-00001, 2x YUSA1511, 1x Y1510V000, 1x 10741-00000, 1x Y913, 1x YS10523-00002  
 YUSKS10254-00023: 1x YS10254-00001, 2x YUSA1511, 1x Y1510V000, 1x 10741-00000, 1x Y913, 1x YS10523-00002

# evo+ Swing Door Operators

## (inverted, rail-mounted control housing)

Item Number	Max Door Width*	Max Door Weight	Motor Size	Wired Controls Included	Arms Color and Finish	Works with Overlapping Doors	Works with Non-Overlapping Doors	Battery Back Up	Minimum Headroom Required
YUSKS10256-00002	9'6"	600 lbs.	600N (3/4 HP)	Wired 3-button station	Galvanized	X	X		16"
YUSKS10251-00002	9'6"	600 lbs.	800N (1 HP)	Wired 3-button station	Galvanized	X	X		16"
YUSKS10254-00002	9'6"	600 lbs.	1100N (1-1/4 HP)	Wired 3-button station	Galvanized	X	X		16"
YUSKS10256-00006	9'6"	600 lbs.	600N (3/4 HP)	Wired 3-button station	Galvanized	X	X	X	16"
YUSKS10251-00006	9'6"	600 lbs.	800N (1 HP)	Wired 3-button station	Galvanized	X	X	X	16"
YUSKS10254-00006	9'6"	600 lbs.	1100N (1-1/4 HP)	Wired 3-button station	Galvanized	X	X	X	16"
YUSKS10256-00027	10'6"	800 lbs.	600N (3/4 HP)	Wired 3-button station	Black powder-coated		X		16"
YUSKS10251-00027	10'6"	1450 lbs.	800N (1 HP)	Wired 3-button station	Black powder-coated		X		16"
YUSKS10254-00027	10'6"	2000 lbs.	1100N (1-1/4 HP)	Wired 3-button station	Black powder-coated		X		16"
YUSKS102456-00028	10'6"	800 lbs.	600N (3/4 HP)	Wired 3-button station	Black powder-coated		X	X	16"
YUSKS10251-00028	10'6"	1450 lbs.	800N (1 HP)	Wired 3-button station	Black powder-coated		X	X	16"
YUSKS10254-00028	10'6"	2000 lbs.	1100N (1-1/4 HP)	Wired 3-button station	Black powder-coated		X	X	16"

\*Max door width assumes a 6" exterior wall, width may be adjusted as necessary for other wall thicknesses

Items included in kits:

YUSKS10256-00002: 1x YS10256-00001, 1x 10171-00002  
YUSKS10251-00002: 1x YS10251-00001, 1x 10171-00002  
YUSKS10254-00002: 1x YS10254-00001, 1x 10171-00002  
YUSKS10256-00006: 1x YS10256-00001, 1x 10171-00002, 1x YS10523-00002  
YUSKS10251-00006: 1x YS10251-00001, 1x 10171-00002, 1x YS10523-00002  
YUSKS10254-00006: 1x YS10254-00001, 1x 10171-00002, 1x YS10523-00002  
YUSKS10256-00027: 1x YS10256-00001, 2x YUSA1511, 1x Y1510V000, 1x 10741-00000  
YUSKS10251-00027: 1x YS10251-00001, 2x YUSA1511, 1x Y1510V000, 1x 10741-00000  
YUSKS10254-00027: 1x YS10254-00001, 2x YUSA1511, 1x Y1510V000, 1x 10741-00000  
YUSKS10256-00028: 1x YS10256-00001, 2x YUSA1511, 1x Y1510V000, 1x 10741-00000, 1x YS10523-00002  
YUSKS10251-00028: 1x YS10251-00001, 2x YUSA1511, 1x Y1510V000, 1x 10741-00000, 1x YS10523-00002  
YUSKS10254-00028: 1x YS10254-00001, 2x YUSA1511, 1x Y1510V000, 1x 10741-00000, 1x YS10523-00002